


Specification

Model : R0084TD

Description: 5000*10, 420pcs 2835 SMD LED, bare-board series, 24Vdc,
constant current, LED flex strip



Prepared by : _____

Checked by : _____

Standard Dept : _____

Approved by : _____

Issued Status: Draft Published

Specification

Product Name: LED Flex strip

Model: R0084TD

Applications

Indoor use only, such as in KTV, shopping mall, cabinet etc. for cove and contour lighting.

Features

- 1、High luminous efficacy with 2835 SMD LED mounted;
- 2、Can be cut at the printed marks;
- 3、CE、RoHS compliant.

Installation

- 1、Easy installation with double-sided adhesive tape.
- 2、Multiple installation and fixing options available with the minimum bending diameter as 5cm [1.96in].



Warranty

3years or 13000 hours, whichever comes first.

Optical and Electrical Parameters:

P/N	LED Color	Color Temperature(K)	Beam Angle (°)	Luminous Flux (lm/m)	CRI	Luminous Efficacy (lm/W)	Working Voltage (V DC)	Working Current (mA)		Power (W)	
								1m [39.37in]	5m [196.85in]	1m [39.37in]	5m [196.85in]
R0084TD -A	Neutral White	6000	115	1690	Ra≥75	81	24	833	4083	20	98

Others:


P/N	LED Color	Standard Length		Max. Length		LED Qty (pcs/ m)	Operating Temperature		Storage Temperature		IP Grade
		(m)	(in)	(m)	(in)		(°C)	(°F)	(°C)	(°F)	
R0084TD -A	Neutral White	5	196.85	5	196.85	84	-25~+50	-13~+122	-40~+70	-40~+158	IP33

Notes:


- ① Testing environment temperature: 25±2°C [77±3.6°F];
- ② The actual data of each single product may differ from above typical data which are subject to change without prior notice;

Profile Drawings:

Unit: mm [in]



Packaging Diagrams:



Packaging Information:

1. Rolling this product into plastic reel and then packaged into double-deck corrugated carton.
2. Outer carton: 45*25*22.6cm =0.0254 (1±10%) CBM [17.71*9.84*8.89in];
3. 5m [196.85in] per reel, 15 reels per inner carton, and 2 inner cartons per outer carton;
4. Net Weight (N.W) : 2.43 (1±10%) kg [5.35 (1±10%) lb];
5. Gross Weight (G.W) : 4.93(1±10%) kg [10.86 (1±10%) lb];
6. The actual packed quantity and weight may subject to change without prior notice.